


[Member Login](#) | [Join WQA](#)[Product Certification Login](#)

## Water Quality Association

4/3/2017



### CERTIFIED DRINKING WATER SYSTEM COMPONENTS

*NSF/ANSI 61 - 2016: Drinking Water System Components - Health Effects*[Show Description](#)

#### GCP Applied Technologies

62 Whittemore Ave  
Cambridge, MA 02140  
United States  
<http://www.deneef.com>

#### Product Type: Sealant

| Brand Name | Model   | Water Contact Temp | Water Contact Material | Size |
|------------|---|--------------------|------------------------|------|
| DeNeef     | CFL PRe with Flex Cat<br>PRe <a href="#">13</a> | Cold (23C)         | Various                | N/A  |
| DeNeef     | Cut PRe with Cut Cat                            | Cold (23C)         | Various                | N/A  |

PURe [1 2](#)

|        |  |            |         |     |
|--------|--|------------|---------|-----|
| DeNeef | Flex LV PURe with Flex Cat PURe <a href="#">1 3</a>  | Cold (23C) | Various | N/A |
| DeNeef | Flex SLV PURe with Flex Cat PURe <a href="#">5 6</a> | Cold (23C) | Various | N/A |
| DeNeef | INJECTO PURe with Flex Cat PURe <a href="#">5 6</a>  | Cold (23C) | Various | N/A |
| DeNeef | Sealfoam PURe <a href="#">4</a>                      | Cold (23C) | Various | N/A |
| DeNeef | Soil PURe with Soil Cat PURe <a href="#">7 6</a>     | Cold (23C) | Various | N/A |

<sup>1</sup> Certification valid when the maximum water contact Surface Area/Volume Ratio is 0.26 Square Centimeters per Liter of water

<sup>2</sup> Special comment: Mix-use ratio of Grout to Catalyst (Cat) is 9:1

<sup>3</sup> Special comment: Mix-use ratio of Grout to Catalyst (Cat) is 96:4

<sup>4</sup> Certification valid when the maximum water contact Surface Area/Volume Ratio is 2.05 Square Centimeters per Liter of water

<sup>5</sup> Certification valid when the maximum water contact Surface Area/Volume Ratio is 0.4 Square Centimeters per Liter of water

<sup>6</sup> Special comment: Mix-use ratio of Grout to Catalyst (Cat) is 50:2

<sup>7</sup> Certification valid when the maximum water contact Surface Area/Volume Ratio is 0.32 Square Centimeters per Liter of water

## About WQA

The Water Quality Association (WQA) is a not-for-profit international trade association representing the residential, commercial and industrial water treatment industry. [Learn More](#)

### Water Quality Association

International Headquarters & Laboratory  
4151 Naperville Road  
Lisle, IL 60532-3696 USA

Tel: 630-505-0160 

Fax: 630-505-9637 